


URINARY HEALTH




LOWER URINARY TRACT DISEASE (LUTD)

LUTD is a generic name given to a group of challenging diseases. **Symptoms and causes are variable**. Despite the perception of LUTD being a "cat" issue, dogs are also susceptible.

MOST COMMON TYPES OF LUTD

- **URINARY TRACT INFECTION (UTI)** Caused by bacteria in the bladder and can lead to frequent urination, pain, straining, and potentially blood in the urine
- INCONTINENCE Involuntary leaking of urine often resulting from bladder or urethral dysfunction, or even neurological disease
- **UROLITHIASIS** Formation of stones in the bladder of which there are many types, such as struvite, calcium oxalate or cystine stones











IMPROPER DIET

SMALL BREED DOGS

CONCURRENT

OVERWEIGHT 7



LACK OF ACTIVITY

IN BRIEF

Caused by bacteria, UTI is the most common contributor to LUTD signs in dogs.

Small breed dogs are more likely to develop LUTD than large breed dogs.

If noticed early, the condition can be treated more easily and long term nutritional management may help prevent recurrences.

ROYAL CANIN® TAILORED NUTRITION

ADDRESSING YOUR DOG'S INDIVIDUAL NEEDS

Over the past 50 years the best researchers from ROYAL CANIN,[®] together with specialists and veterinary practitioners from all over the world have been working hard towards a common goal: **improve urinary health of dogs through nutrition.**

BENEFITS OF FEEDING YOUR DOG A ROYAL CANIN® URINARY SO FORMULA:

- Reduces the likelihood of surgery to remove stones
- ✓ Helps prevent urinary crystal and stone formation
- ✓ May help reduce inappropriate urination
- Reduces pain caused by inflammation of the bladder
- ✓ Provides complete and balanced nutrition for your dog



COMPLEMENT YOUR PET'S URINARY HEALTH FORMULA WITH URINARY TREATS

URINARY HEALTH

URINARY HEALTH AND AGING URINARY HEALTH (CYSTINE, URATE XANTHINE)

URINARY HEALTH + WEIGHT LOSS

URINARY HEALTH + FOOD ALLERGIES

URINARY SO MODERATE CALORIE

URINARY SO SMALL DOG





URINARY SO + SATIETY

URINARY SO +
HYDROLYZED PROTEIN



















INCREASING WATER INTAKE IS KEY IN MAINTAINING URINARY HEALTH

HELPFUL TIPS:

- Provide fresh, clean water at all times
- Feed canned food
- ✓ Try different bowl sizes and water temperatures
- ✓ Place water in a quiet area
- Consider a special pet water fountain
- ✓ Feed smaller meals more frequently
- Feed lower calorie diets
- Add water to the food



TRANSITIONING YOUR PET TO A NEW FOOD



75% current food 25% **new** food



DAYS 3 + 4

50% current food 50% **new** food



DAYS 5 + 6

25% current food 75% **new** food



DAY 7100% **new** food

WE RECOMMEND AT LEAST A SEVEN-DAY TRANSITION WHEN STARTING A NEW DIET.

Dogs may reject a new food if it is not introduced slowly by transitioning over a period of 7-10 days. To effectively transition your pet to a new formula, we suggest slowly mixing the new food in with the existing food in gradually increasing amounts.

URINARY MANAGEMENT

SHOULD NOT END AFTER THE SIGNS DISAPPEAR





USEFUL TIPS ON HOW TO MINIMIZE RECURRENCE

LIFESTYLE

- ✓ Visit your vet for regular check-ups
- Ensure fresh and clean water is available at all times
- ✓ Give your dog frequent opportunities to urinate: increase number of walks/ change your route (this will promote additional marking
- Monitor the colour of urine: your veterinary team will need to know about presence of blood, concentrated (dark) or diluted (light) coloured urine
- ✓ Watch out for triggering external factors; such as stress, weight gain, etc.

NUTRITION



CONTINUE FEEDING THE DIET RECOMMENDED BY YOUR VET



FEED CANNED FOOD TO INCREASE WATER INTAKE



Find out more about urinary management nutrition for dogs at

www.royalcanin.com